



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-001**  
**Client Sample ID. : METER ROOM / 1ST FLOOR / R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 12:01 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | * 110          | *                | 1           | ug/L         | 15           | 07/14/2016 4:40 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-002**  
**Client Sample ID. : DF#1 / 3RD FLOOR LOBBY / R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 12:09 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 1.5            |                  | 1           | ug/L         | 15           | 07/14/2016 4:42 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**  
 Type : Potable Water  
 Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-003**  
**Client Sample ID. : ROOM 3209 / DF#1 / R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :  
 Collected : 06/24/2016 12:13 AM Point No  
 Received : 06/30/2016 4:50 PM Location:  
 Collected By : CLIENT

---

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Analyst:</u> AG<br><u>Container:</u> |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|---|
| Lead                | 12             |                  | 1           | ug/L         | 15           | 07/14/2016 4:45 AM | Container-01 of 01                      |

Qualifiers: E = Value above quantitation range, Value estimated.  
 B = Found in Blank  
 D.F. = Dilution Factor D = Results for Dilution  
 c = Calibration acceptability criteria exceeded for this analyte. Value estimated  
 H = Received/analyzed outside of analytical holding time  
 J = Estimated value - below calibration range  
 M-, M+ = Matrix Spike recovery below / above control limit  
 N = Indicates presumptive evidence of compound  
 P = Duplicate RPD outside of control limit  
 r = Reporting limit below calibration range. Value estimated.  
 S = Recovery outside of control limits for this analyte  
 + = NYSDOH ELAP does not offer certification for this analyte / matrix / method  
 Result(s) reported meet(s) Regulatory Limit(s).  
 Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.  
 Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.  
 This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-004**  
**Client Sample ID. : ROOM 3209 / DF#2 /R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 12:14 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 6.3            |                  | 1           | ug/L         | 15           | 07/14/2016 4:48 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-005**  
**Client Sample ID. : ROOM 2211 / DF / R**

**Attn To : Brad Preston**

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 12:16 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 2.5            |                  | 1           | ug/L         | 15           | 07/14/2016 4:51 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-006**  
**Client Sample ID. : ROOM 206 / SINK #1 / CW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 12:17 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 15             |                  | 1           | ug/L         | 15           | 07/14/2016 4:54 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**  
 Type : Potable Water  
 Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-007**  
**Client Sample ID. : ROOM 206 / SINK #1 / HW-R**

**Attn To : Brad Preston**

**Middle School - Raw**

Federal ID :  
 Collected : 06/24/2016 12:18 AM Point No  
 Received : 06/30/2016 4:50 PM Location:  
 Collected By : CLIENT

---

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Analyst:</u> AG | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|--------------------|
| Lead                | * 210          | *                | 1           | ug/L         | 15           | 07/14/2016 4:57 AM |                    | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.  
 B = Found in Blank  
 D.F. = Dilution Factor D = Results for Dilution  
 c = Calibration acceptability criteria exceeded for this analyte. Value estimated  
 H = Received/analyzed outside of analytical holding time  
 J = Estimated value - below calibration range  
 M-, M+ = Matrix Spike recovery below / above control limit  
 N = Indicates presumptive evidence of compound  
 P = Duplicate RPD outside of control limit  
 r = Reporting limit below calibration range. Value estimated.  
 S = Recovery outside of control limits for this analyte  
 + = NYSDOH ELAP does not offer certification for this analyte / matrix / method  
 Result(s) reported meet(s) Regulatory Limit(s).  
 Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.  
 Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.  
 This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**  
 Type : Potable Water  
 Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-008**  
**Client Sample ID. : ROOM 206 / SINK #2 / CW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 12:20 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 5.3            |                  | 1           | ug/L         | 15           | 07/14/2016 5:00 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.





**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-009**  
**Client Sample ID. : ROOM 206 / SINK #2 / HW-R**

**Attn To : Brad Preston**

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 12:21 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | * 86           | *                | 1           | ug/L         | 15           | 07/14/2016 5:15 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To :** Brad Preston

Federal ID :

Collected : 06/24/2016 12:25 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-010**

**Client Sample ID. : 2219 / HALLWAY-DF / R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 2.8            |                  | 1           | ug/L         | 15           | 07/14/2016 5:18 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-011**  
**Client Sample ID. : 2219 / BATHROOM SINK #1 / CW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 12:27 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 6.3            |                  | 1           | ug/L         | 15           | 07/14/2016 5:21 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To :** Brad Preston

Federal ID :

Collected : 06/24/2016 12:29 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-012**

**Client Sample ID. : 2219 / BATHROOM SINK # 1/ HW-R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 5.5            |                  | 1           | ug/L         | 15           | 07/14/2016 5:23 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-013**  
**Client Sample ID. : 2219 / BATHROOM SINK #2 / CW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 12:31 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 6.7            |                  | 1           | ug/L         | 15           | 07/14/2016 5:26 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-014**  
**Client Sample ID. : 2219 / BATHROOM SINK #2 / HW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 12:32 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 4.1            |                  | 1           | ug/L         | 15           | 07/14/2016 5:29 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-015**  
**Client Sample ID. : 2219 / BATHROOM SINK # 3 /CW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 12:34 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 6.2            |                  | 1           | ug/L         | 15           | 07/14/2016 5:32 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To :** Brad Preston

Federal ID :

Collected : 06/24/2016 12:35 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-016**

**Client Sample ID. : 2219 / BATHROOM SINK #3 / HW-R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 5.6            |                  | 1           | ug/L         | 15           | 07/14/2016 5:35 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.





**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To :** Brad Preston

Federal ID :

Collected : 06/24/2016 12:37 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-017**

**Client Sample ID. : ROOM 215/ S INK #1 / CW-R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 13             |                  | 1           | ug/L         | 15           | 07/14/2016 5:50 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To : Brad Preston**

Federal ID :

Collected : 06/24/2016 12:38 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-018**

**Client Sample ID. : ROOM 215 / SINK #1 / HW-R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 5.4            |                  | 1           | ug/L         | 15           | 07/14/2016 5:53 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-019**  
**Client Sample ID. : ROOM 215 / SINK #2 / CW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 12:40 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | * 62           | *                | 1           | ug/L         | 15           | 07/14/2016 5:56 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-020**  
**Client Sample ID. : ROOM 215 / SINK #2 / HW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 12:41 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | * 32           | *                | 1           | ug/L         | 15           | 07/14/2016 5:59 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**  
 Type : Potable Water  
 Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-021**  
**Client Sample ID. : ROOM 219 / SINK / CW-R**

**Attn To : Brad Preston**

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 12:44 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | * 19           | *                | 1           | ug/L         | 15           | 07/14/2016 6:02 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.  
 B = Found in Blank  
 D.F. = Dilution Factor D = Results for Dilution  
 c = Calibration acceptability criteria exceeded for this analyte. Value estimated  
 H = Received/analyzed outside of analytical holding time  
 J = Estimated value - below calibration range  
 M-, M+ = Matrix Spike recovery below / above control limit  
 N = Indicates presumptive evidence of compound  
 P = Duplicate RPD outside of control limit  
 r = Reporting limit below calibration range. Value estimated.  
 S = Recovery outside of control limits for this analyte  
 + = NYSDOH ELAP does not offer certification for this analyte / matrix / method  
 Result(s) reported meet(s) Regulatory Limit(s).  
 Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.  
 Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-022**  
**Client Sample ID. : ROOM 2135 / SINK / CW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 12:46 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 7.0            |                  | 1           | ug/L         | 15           | 07/14/2016 6:05 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-023**  
**Client Sample ID. : ROOM 2135 / SINK / HW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 12:47 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 3.7            |                  | 1           | ug/L         | 15           | 07/14/2016 6:07 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**  
 Type : Potable Water  
 Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-024**  
**Client Sample ID. : ROOM 2134 / SINK 1 / CW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :  
 Collected : 06/24/2016 12:50 AM Point No  
 Received : 06/30/2016 4:50 PM Location:  
 Collected By : CLIENT

---

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Analyst:</u> AG<br><u>Container:</u> |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|---|
| Lead                | 7.6            |                  | 1           | ug/L         | 15           | 07/14/2016 6:10 AM | Container-01 of 01                      |

Qualifiers: E = Value above quantitation range, Value estimated.  
 B = Found in Blank  
 D.F. = Dilution Factor D = Results for Dilution  
 c = Calibration acceptability criteria exceeded for this analyte. Value estimated  
 H = Received/analyzed outside of analytical holding time  
 J = Estimated value - below calibration range  
 M-, M+ = Matrix Spike recovery below / above control limit  
 N = Indicates presumptive evidence of compound  
 P = Duplicate RPD outside of control limit  
 r = Reporting limit below calibration range. Value estimated.  
 S = Recovery outside of control limits for this analyte  
 + = NYSDOH ELAP does not offer certification for this analyte / matrix / method  
 Result(s) reported meet(s) Regulatory Limit(s).  
 Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.  
 Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.  
 This report shall not be reproduced except in full, without the written approval of the laboratory.





**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-025**  
**Client Sample ID. : ROOM 2134 / SINK 1 / HW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 12:51 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 4.3            |                  | 1           | ug/L         | 15           | 07/14/2016 6:25 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.  
B = Found in Blank  
D.F. = Dilution Factor D = Results for Dilution  
c = Calibration acceptability criteria exceeded for this analyte. Value estimated  
H = Received/analyzed outside of analytical holding time  
J = Estimated value - below calibration range  
M-, M+ = Matrix Spike recovery below / above control limit  
N = Indicates presumptive evidence of compound  
P = Duplicate RPD outside of control limit  
r = Reporting limit below calibration range. Value estimated.  
S = Recovery outside of control limits for this analyte  
+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method  
Result(s) reported meet(s) Regulatory Limit(s).  
Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.  
Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District  
75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To : Brad Preston**

Federal ID :

Collected : 06/24/2016 12:54 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-026**

**Client Sample ID. : ROOM 2134 / SINK 2 / CW-R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 5.4            |                  | 1           | ug/L         | 15           | 07/14/2016 6:28 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To :** Brad Preston

Federal ID :

Collected : 06/24/2016 12:55 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-027**

**Client Sample ID. : ROOM 2134 / SINK 2 / HW-R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 5.3            |                  | 1           | ug/L         | 15           | 07/14/2016 6:31 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To :** Brad Preston

Federal ID :

Collected : 06/24/2016 12:57 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-028**

**Client Sample ID. : ROOM 2134 / SINK 3 / CW-R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 4.6            |                  | 1           | ug/L         | 15           | 07/14/2016 6:34 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-029**  
**Client Sample ID. : ROOM 2134 / SINK 3 / HW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 12:58 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 4.3            |                  | 1           | ug/L         | 15           | 07/14/2016 6:37 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-030**  
**Client Sample ID. : ROOM 2134 / SINK 4 / CW-R**

**Attn To : Brad Preston**

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 12:58 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 8.5            |                  | 1           | ug/L         | 15           | 07/14/2016 6:40 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-031**  
**Client Sample ID. : ROOM 2134 / SINK 4 / HW-R**

**Attn To : Brad Preston**

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 1:00 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 4.8            |                  | 1           | ug/L         | 15           | 07/14/2016 6:42 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-032**  
**Client Sample ID. : DF#2 / 3RD FLOOR LOBBY-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 1:04 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 1.2            |                  | 1           | ug/L         | 15           | 07/14/2016 6:45 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.





**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To :** Brad Preston

Federal ID :

Collected : 06/24/2016 1:06 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-033**

**Client Sample ID. : ROOM 2105 / SINK 1 / CW-R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 5.3            |                  | 1           | ug/L         | 15           | 07/14/2016 7:00 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To :** Brad Preston

Federal ID :

Collected : 06/24/2016 1:06 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-034**

**Client Sample ID. : ROOM 2105 / SINK 1 / HW-R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 4.3            |                  | 1           | ug/L         | 15           | 07/14/2016 7:03 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-035**  
**Client Sample ID. : ROOM 2105 / SINK 2 / CW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 1:10 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 10             |                  | 1           | ug/L         | 15           | 07/14/2016 7:06 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-036**  
**Client Sample ID. : ROOM 2105 / SINK 2 / HW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 1:11 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | * 53           | *                | 1           | ug/L         | 15           | 07/14/2016 7:09 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-037**

**Client Sample ID. : ROOM 2105 / SINK 3 / CW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 1:14 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 6.5            |                  | 1           | ug/L         | 15           | 07/14/2016 7:12 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To :** Brad Preston

Federal ID :

Collected : 06/24/2016 1:15 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-038**

**Client Sample ID. : ROOM 2105 / SINK 3 / HW-R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 11             |                  | 1           | ug/L         | 15           | 07/14/2016 7:15 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-039**  
**Client Sample ID. : ROOM 2105 / SINK 4 / CW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 1:16 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 7.1            |                  | 1           | ug/L         | 15           | 07/14/2016 7:18 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**  
 Type : Potable Water  
 Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-040**  
**Client Sample ID. : ROOM 2105 / SINK 4 / HW-R**

**Attn To : Brad Preston**

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 1:17 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 4.4            |                  | 1           | ug/L         | 15           | 07/14/2016 7:20 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.  
 B = Found in Blank  
 D.F. = Dilution Factor D = Results for Dilution  
 c = Calibration acceptability criteria exceeded for this analyte. Value estimated  
 H = Received/analyzed outside of analytical holding time  
 J = Estimated value - below calibration range  
 M-, M+ = Matrix Spike recovery below / above control limit  
 N = Indicates presumptive evidence of compound  
 P = Duplicate RPD outside of control limit  
 r = Reporting limit below calibration range. Value estimated.  
 S = Recovery outside of control limits for this analyte  
 + = NYSDOH ELAP does not offer certification for this analyte / matrix / method  
 Result(s) reported meet(s) Regulatory Limit(s).  
 Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.  
 Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.





**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-041**  
**Client Sample ID. : ROOM 2105 / SINK 5 / CW-R**

**Attn To : Brad Preston**

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 1:19 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 5.2            |                  | 1           | ug/L         | 15           | 07/14/2016 7:35 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**  
 Type : Potable Water  
 Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-042**  
**Client Sample ID. : ROOM 2105 / SINK 5 / HW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :  
 Collected : 06/24/2016 1:20 AM Point No  
 Received : 06/30/2016 4:50 PM Location:  
 Collected By : CLIENT

---

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Analyst:</u> AG<br><u>Container:</u> |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|---|
| Lead                | 5.2            |                  | 1           | ug/L         | 15           | 07/14/2016 7:38 AM | Container-01 of 01                      |

Qualifiers: E = Value above quantitation range, Value estimated.  
 B = Found in Blank  
 D.F. = Dilution Factor D = Results for Dilution  
 c = Calibration acceptability criteria exceeded for this analyte. Value estimated  
 H = Received/analyzed outside of analytical holding time  
 J = Estimated value - below calibration range  
 M-, M+ = Matrix Spike recovery below / above control limit  
 N = Indicates presumptive evidence of compound  
 P = Duplicate RPD outside of control limit  
 r = Reporting limit below calibration range. Value estimated.  
 S = Recovery outside of control limits for this analyte  
 + = NYSDOH ELAP does not offer certification for this analyte / matrix / method  
 Result(s) reported meet(s) Regulatory Limit(s).  
 Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.  
 Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.  
 This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To :** Brad Preston

Federal ID :

Collected : 06/24/2016 1:23 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-043**

**Client Sample ID. : ROOM 105 / SINK / CW-R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 9.7            |                  | 1           | ug/L         | 15           | 07/14/2016 7:41 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-044**  
**Client Sample ID. : ROOM 105 / SINK / HW-R**

**Attn To : Brad Preston**

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 1:25 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 2.6            |                  | 1           | ug/L         | 15           | 07/14/2016 7:44 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To :** Brad Preston

Federal ID :

Collected : 06/24/2016 1:27 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-045**

**Client Sample ID. : ROOM 2103 / HALLWAY / DF-R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 1.5            |                  | 1           | ug/L         | 15           | 07/14/2016 7:47 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-046**  
**Client Sample ID. : ROOM 2106 / SINK 1 / CW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 1:28 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | * 52           | *                | 1           | ug/L         | 15           | 07/14/2016 7:50 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-047**  
**Client Sample ID. : ROOM 2106 / SINK 1 / HW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 1:30 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | * 19           | *                | 1           | ug/L         | 15           | 07/14/2016 7:53 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-048**  
**Client Sample ID. : ROOM 2106 / SINK #2 / CW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 1:32 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | * 65           | *M+              | 1           | ug/L         | 15           | 07/14/2016 7:56 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.





**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-049**  
**Client Sample ID. : ROOM 2106 / SINK #2 / HW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 1:33 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 15             |                  | 1           | ug/L         | 15           | 07/14/2016 8:10 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**  
 Type : Potable Water  
 Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-050**  
**Client Sample ID. : ROOM 2109 / SINK / CW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 1:35 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 6.4            |                  | 1           | ug/L         | 15           | 07/14/2016 8:13 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To :** Brad Preston

Federal ID :

Collected : 06/24/2016 1:36 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-051**

**Client Sample ID. : ROOM 2109 / SINK / HW-R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 4.6            |                  | 1           | ug/L         | 15           | 07/14/2016 8:16 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To :** Brad Preston

Federal ID :

Collected : 06/24/2016 1:38 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-052**

**Client Sample ID. : ROOM 2118 / SINK / CW-R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 4.3            |                  | 1           | ug/L         | 15           | 07/14/2016 8:19 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**  
 Type : Potable Water  
 Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-053**  
**Client Sample ID. : ROOM 2118 / SINK / HW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 1:39 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 1.7            |                  | 1           | ug/L         | 15           | 07/14/2016 8:22 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-054**  
**Client Sample ID. : 2122 / HALLWAY DF-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 1:42 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 3.1            |                  | 1           | ug/L         | 15           | 07/14/2016 8:25 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-055**  
**Client Sample ID. : ROOM 2122 / SINK 1 / CW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 1:44 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 6.5            |                  | 1           | ug/L         | 15           | 07/14/2016 8:28 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To :** Brad Preston

Federal ID :

Collected : 06/24/2016 1:45 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-056**

**Client Sample ID. : ROOM 2122 / SINK 1 / HW-R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: AG

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 5.0            |                  | 1           | ug/L         | 15           | 07/14/2016 8:31 AM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.





**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-057**  
**Client Sample ID. : ROOM 2122 / SINK 2 / CW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 1:47 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 7.8            |                  | 1           | ug/L         | 15           | 07/14/2016 1:12 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To :** Brad Preston

Federal ID :

Collected : 06/24/2016 1:48 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-058**

**Client Sample ID. : ROOM 2122 / SINK 2 / HW-R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 6.3            |                  | 1           | ug/L         | 15           | 07/14/2016 1:15 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To :** Brad Preston

Federal ID :

Collected : 06/24/2016 1:49 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-059**

**Client Sample ID. : ROOM 2122 / SINK 3 / CW-R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 6.3            |                  | 1           | ug/L         | 15           | 07/14/2016 1:18 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District  
75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To : Brad Preston**

Federal ID :

Collected : 06/24/2016 1:50 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-060**

**Client Sample ID. : ROOM 2122 / SINK 3 / HW-R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 5.7            |                  | 1           | ug/L         | 15           | 07/14/2016 1:21 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-061**  
**Client Sample ID. : ROOM 2122 / SINK 4 / CW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 1:52 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 9.1            |                  | 1           | ug/L         | 15           | 07/14/2016 1:24 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-062**

**Client Sample ID. : ROOM 2122 / SINK 4 / HW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 1:53 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 8.8            |                  | 1           | ug/L         | 15           | 07/14/2016 1:26 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To :** Brad Preston

Federal ID :

Collected : 06/24/2016 1:57 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-063**

**Client Sample ID. : ROOM 2122 / SINK 5 / HW-R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 15             |                  | 1           | ug/L         | 15           | 07/14/2016 1:29 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**  
 Type : Potable Water  
 Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-064**  
**Client Sample ID. : ROOM 2122 / SINK 5 / CW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :  
 Collected : 06/24/2016 1:56 AM Point No  
 Received : 06/30/2016 4:50 PM Location:  
 Collected By : CLIENT

---

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Analyst:</u> CM<br><u>Container:</u> |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|---|
| Lead                | 7.8            |                  | 1           | ug/L         | 15           | 07/14/2016 1:32 PM | Container-01 of 01                      |

Qualifiers: E = Value above quantitation range, Value estimated.  
 B = Found in Blank  
 D.F. = Dilution Factor D = Results for Dilution  
 c = Calibration acceptability criteria exceeded for this analyte. Value estimated  
 H = Received/analyzed outside of analytical holding time  
 J = Estimated value - below calibration range  
 M-, M+ = Matrix Spike recovery below / above control limit  
 N = Indicates presumptive evidence of compound  
 P = Duplicate RPD outside of control limit  
 r = Reporting limit below calibration range. Value estimated.  
 S = Recovery outside of control limits for this analyte  
 + = NYSDOH ELAP does not offer certification for this analyte / matrix / method  
 Result(s) reported meet(s) Regulatory Limit(s).  
 Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.  
 Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.  
 This report shall not be reproduced except in full, without the written approval of the laboratory.





**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To :** Brad Preston

Federal ID :

Collected : 06/24/2016 2:00 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-065**

**Client Sample ID. : ROOM 121 / SINK / CW-R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | * 33           | *                | 1           | ug/L         | 15           | 07/14/2016 1:47 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To :** Brad Preston

Federal ID :

Collected : 06/24/2016 2:05 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-066**  
**Client Sample ID. : ROOM 3128 / DF-1 / R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | < 1.0          |                  | 1           | ug/L         | 15           | 07/14/2016 1:50 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-067**  
**Client Sample ID. : ROOM 3128 / DF-2 / R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 2:06 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | < 1.0          |                  | 1           | ug/L         | 15           | 07/14/2016 1:53 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-068**  
**Client Sample ID. : ROOM 3114 / DF-1 / R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 2:10 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 1.6            |                  | 1           | ug/L         | 15           | 07/14/2016 1:56 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**  
 Type : Potable Water  
 Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-069**  
**Client Sample ID. : ROOM 3114 / DF-2 / R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :  
 Collected : 06/24/2016 2:11 AM Point No  
 Received : 06/30/2016 4:50 PM Location:  
 Collected By : CLIENT

---

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Analyst:</u> CM<br><u>Container:</u> |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|---|
| Lead                | 1.7            |                  | 1           | ug/L         | 15           | 07/14/2016 1:59 PM | Container-01 of 01                      |

Qualifiers: E = Value above quantitation range, Value estimated.  
 B = Found in Blank  
 D.F. = Dilution Factor D = Results for Dilution  
 c = Calibration acceptability criteria exceeded for this analyte. Value estimated  
 H = Received/analyzed outside of analytical holding time  
 J = Estimated value - below calibration range  
 M-, M+ = Matrix Spike recovery below / above control limit  
 N = Indicates presumptive evidence of compound  
 P = Duplicate RPD outside of control limit  
 r = Reporting limit below calibration range. Value estimated.  
 S = Recovery outside of control limits for this analyte  
 + = NYSDOH ELAP does not offer certification for this analyte / matrix / method  
 Result(s) reported meet(s) Regulatory Limit(s).  
 Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.  
 Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.  
 This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To :** Brad Preston

Federal ID :

Collected : 06/24/2016 2:13 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-070**

**Client Sample ID. : ROOM 3105 / DF-1 / R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 2.5            |                  | 1           | ug/L         | 15           | 07/14/2016 2:02 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-071**  
**Client Sample ID. : ROOM 3105 / DF-2 / R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 2:14 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 1.2            |                  | 1           | ug/L         | 15           | 07/14/2016 2:04 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-072**  
**Client Sample ID. : ROOM 3122 / SINK / CW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 2:16 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 2.5            |                  | 1           | ug/L         | 15           | 07/14/2016 2:07 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.





**Sample Information:**  
 Type : Potable Water  
 Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-073**  
**Client Sample ID. : ROOM 3122 / SINK / HW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 2:19 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 1.3            |                  | 1           | ug/L         | 15           | 07/14/2016 2:22 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.  
 B = Found in Blank  
 D.F. = Dilution Factor D = Results for Dilution  
 c = Calibration acceptability criteria exceeded for this analyte. Value estimated  
 H = Received/analyzed outside of analytical holding time  
 J = Estimated value - below calibration range  
 M-, M+ = Matrix Spike recovery below / above control limit  
 N = Indicates presumptive evidence of compound  
 P = Duplicate RPD outside of control limit  
 r = Reporting limit below calibration range. Value estimated.  
 S = Recovery outside of control limits for this analyte  
 + = NYSDOH ELAP does not offer certification for this analyte / matrix / method  
 Result(s) reported meet(s) Regulatory Limit(s).  
 Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.  
 Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**  
 Type : Potable Water  
 Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-074**  
**Client Sample ID. : ROOM 3121 / SINK / CW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :  
 Collected : 06/24/2016 2:22 AM Point No  
 Received : 06/30/2016 4:50 PM Location:  
 Collected By : CLIENT

---

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Analyst:</u> CM<br><u>Container:</u> |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|---|
| Lead                | 1.2            |                  | 1           | ug/L         | 15           | 07/14/2016 2:25 PM | Container-01 of 01                      |

Qualifiers: E = Value above quantitation range, Value estimated.  
 B = Found in Blank  
 D.F. = Dilution Factor D = Results for Dilution  
 c = Calibration acceptability criteria exceeded for this analyte. Value estimated  
 H = Received/analyzed outside of analytical holding time  
 J = Estimated value - below calibration range  
 M-, M+ = Matrix Spike recovery below / above control limit  
 N = Indicates presumptive evidence of compound  
 P = Duplicate RPD outside of control limit  
 r = Reporting limit below calibration range. Value estimated.  
 S = Recovery outside of control limits for this analyte  
 + = NYSDOH ELAP does not offer certification for this analyte / matrix / method  
 Result(s) reported meet(s) Regulatory Limit(s).  
 Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.  
 Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.  
 This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-075**  
**Client Sample ID. : ROOM 3121 / SINK / HW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 2:23 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 1.6            |                  | 1           | ug/L         | 15           | 07/14/2016 2:32 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-076**  
**Client Sample ID. : ROOM 3119 / SINK / CW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 2:24 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 2.4            |                  | 1           | ug/L         | 15           | 07/14/2016 2:35 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-077**  
**Client Sample ID. : ROOM 3119 / SINK / HW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 2:26 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 1.3            |                  | 1           | ug/L         | 15           | 07/14/2016 2:38 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.  
 B = Found in Blank  
 D.F. = Dilution Factor D = Results for Dilution  
 c = Calibration acceptability criteria exceeded for this analyte. Value estimated  
 H = Received/analyzed outside of analytical holding time  
 J = Estimated value - below calibration range  
 M-, M+ = Matrix Spike recovery below / above control limit  
 N = Indicates presumptive evidence of compound  
 P = Duplicate RPD outside of control limit  
 r = Reporting limit below calibration range. Value estimated.  
 S = Recovery outside of control limits for this analyte  
 + = NYSDOH ELAP does not offer certification for this analyte / matrix / method  
 Result(s) reported meet(s) Regulatory Limit(s).  
 Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.  
 Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**  
 Type : Potable Water  
 Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-078**  
**Client Sample ID. : ROOM 3120 / SINK / CW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 2:27 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 2.9            |                  | 1           | ug/L         | 15           | 07/14/2016 2:41 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.  
 B = Found in Blank  
 D.F. = Dilution Factor D = Results for Dilution  
 c = Calibration acceptability criteria exceeded for this analyte. Value estimated  
 H = Received/analyzed outside of analytical holding time  
 J = Estimated value - below calibration range  
 M-, M+ = Matrix Spike recovery below / above control limit  
 N = Indicates presumptive evidence of compound  
 P = Duplicate RPD outside of control limit  
 r = Reporting limit below calibration range. Value estimated.  
 S = Recovery outside of control limits for this analyte  
 + = NYSDOH ELAP does not offer certification for this analyte / matrix / method  
 Result(s) reported meet(s) Regulatory Limit(s).  
 Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.  
 Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-079**  
**Client Sample ID. : ROOM 3120 / SINK / HW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 2:28 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 1.7            |                  | 1           | ug/L         | 15           | 07/14/2016 2:43 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-080**  
**Client Sample ID. : ROOM 3123 / DF-1 / R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 2:30 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 2.1            | M+               | 1           | ug/L         | 15           | 07/14/2016 4:02 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.





**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To :** Brad Preston

Federal ID :

Collected : 06/24/2016 2:33 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-081**

**Client Sample ID. : ROOM 3123 / DF-2 / R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 2.1            |                  | 1           | ug/L         | 15           | 07/14/2016 4:10 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District  
75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To : Brad Preston**

Federal ID :

Collected : 06/24/2016 2:35 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-082**

**Client Sample ID. : ROOM 3140 / DF-1 / R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 1.7            |                  | 1           | ug/L         | 15           | 07/14/2016 4:13 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-083**  
**Client Sample ID. : ROOM 3140 / DF-2 / R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 2:37 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 1.6            |                  | 1           | ug/L         | 15           | 07/14/2016 4:16 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-084**  
**Client Sample ID. : ROOM 3135 / SINK 1 / CW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 2:44 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 2.7            |                  | 1           | ug/L         | 15           | 07/14/2016 4:19 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-085**  
**Client Sample ID. : ROOM 3135 / SINK 1 / HW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 2:45 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 1.8            |                  | 1           | ug/L         | 15           | 07/14/2016 4:22 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To :** Brad Preston

Federal ID :

Collected : 06/24/2016 2:46 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-086**

**Client Sample ID. : ROOM 3135 / SINK 2 / CW-R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 4.2            |                  | 1           | ug/L         | 15           | 07/14/2016 4:25 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-087**  
**Client Sample ID. : ROOM 3135 / SINK 2 / HW-R**

**Attn To : Brad Preston**

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 2:47 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 5.4            |                  | 1           | ug/L         | 15           | 07/14/2016 4:28 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-088**  
**Client Sample ID. : ROOM 3135 / SINK 3 / CW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 2:48 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 3.5            |                  | 1           | ug/L         | 15           | 07/14/2016 4:37 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.





**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To :** Brad Preston

Federal ID :

Collected : 06/24/2016 2:49 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-089**

**Client Sample ID. : ROOM 3135 / SINK 3 / HW-R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 2.7            |                  | 1           | ug/L         | 15           | 07/14/2016 4:45 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To :** Brad Preston

Federal ID :

Collected : 06/24/2016 2:50 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-090**

**Client Sample ID. : ROOM 3135 / SINK 4 / CW-R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 4.5            |                  | 1           | ug/L         | 15           | 07/14/2016 4:48 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-091**  
**Client Sample ID. : ROOM 3135 / SINK 4 / HW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 2:51 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 4.3            |                  | 1           | ug/L         | 15           | 07/14/2016 4:51 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**  
 Type : Potable Water  
 Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To :** Brad Preston

Federal ID :

Collected : 06/24/2016 2:53 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-092**

**Client Sample ID. : ROOM 3135 / SINK 5 / CW-R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 4.2            |                  | 1           | ug/L         | 15           | 07/14/2016 4:54 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To :** Brad Preston

Federal ID :

Collected : 06/24/2016 2:54 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-093**

**Client Sample ID. : ROOM 3135 / SINK 5 / HW-R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 2.1            |                  | 1           | ug/L         | 15           | 07/14/2016 4:57 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-094**  
**Client Sample ID. : ROOM 3135 / SINK 6 / CW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 2:55 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 3.7            |                  | 1           | ug/L         | 15           | 07/14/2016 5:00 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-095**  
**Client Sample ID. : ROOM 3135 / SINK 6 / HW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 2:56 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 3.1            |                  | 1           | ug/L         | 15           | 07/14/2016 5:03 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-096**  
**Client Sample ID. : ROOM 3133 / SINK 1 / CW-R**

**Attn To : Brad Preston**

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 3:09 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 4.1            | M+               | 1           | ug/L         | 15           | 07/14/2016 5:12 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.





**Sample Information:**  
 Type : Potable Water  
 Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-097**  
**Client Sample ID. : ROOM 3133 / SINK 1 / HW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 3:11 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 3.4            |                  | 1           | ug/L         | 15           | 07/14/2016 5:20 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.  
 B = Found in Blank  
 D.F. = Dilution Factor D = Results for Dilution  
 c = Calibration acceptability criteria exceeded for this analyte. Value estimated  
 H = Received/analyzed outside of analytical holding time  
 J = Estimated value - below calibration range  
 M-, M+ = Matrix Spike recovery below / above control limit  
 N = Indicates presumptive evidence of compound  
 P = Duplicate RPD outside of control limit  
 r = Reporting limit below calibration range. Value estimated.  
 S = Recovery outside of control limits for this analyte  
 + = NYSDOH ELAP does not offer certification for this analyte / matrix / method  
 Result(s) reported meet(s) Regulatory Limit(s).  
 Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.  
 Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-098**  
**Client Sample ID. : ROOM 3133 / SINK 2 / CW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 3:12 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 5.0            |                  | 1           | ug/L         | 15           | 07/14/2016 5:23 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To :** Brad Preston

Federal ID :

Collected : 06/24/2016 3:13 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-099**

**Client Sample ID. : ROOM 3133 / SINK 2 / HW-R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 2.5            |                  | 1           | ug/L         | 15           | 07/14/2016 5:26 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-100**  
**Client Sample ID. : ROOM 3133 / SINK 3 / CW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 3:14 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 3.6            |                  | 1           | ug/L         | 15           | 07/14/2016 5:29 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To :** Brad Preston

Federal ID :

Collected : 06/24/2016 3:15 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-101**

**Client Sample ID. : ROOM 3133 / SINK 3 / HW-R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 2.8            |                  | 1           | ug/L         | 15           | 07/14/2016 5:32 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-102**  
**Client Sample ID. : ROOM 3133 / SINK 4 / CW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 3:16 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 3.7            |                  | 1           | ug/L         | 15           | 07/14/2016 5:35 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**  
 Type : Potable Water  
 Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-103**  
**Client Sample ID. : ROOM 3133 / SINK 4 / HW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 3:17 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 1.8            |                  | 1           | ug/L         | 15           | 07/14/2016 5:38 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.  
 B = Found in Blank  
 D.F. = Dilution Factor D = Results for Dilution  
 c = Calibration acceptability criteria exceeded for this analyte. Value estimated  
 H = Received/analyzed outside of analytical holding time  
 J = Estimated value - below calibration range  
 M-, M+ = Matrix Spike recovery below / above control limit  
 N = Indicates presumptive evidence of compound  
 P = Duplicate RPD outside of control limit  
 r = Reporting limit below calibration range. Value estimated.  
 S = Recovery outside of control limits for this analyte  
 + = NYSDOH ELAP does not offer certification for this analyte / matrix / method  
 Result(s) reported meet(s) Regulatory Limit(s).  
 Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.  
 Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-104**  
**Client Sample ID. : ROOM 3133 / SINK 5 / CW-R**

**Attn To : Brad Preston**

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 3:18 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 2.8            |                  | 1           | ug/L         | 15           | 07/14/2016 5:47 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.





**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-105**  
**Client Sample ID. : ROOM 3133 / SINK 5 / HW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 3:19 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 2.1            |                  | 1           | ug/L         | 15           | 07/14/2016 5:55 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-106**  
**Client Sample ID. : ROOM 3133 / SINK 6 / CW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 3:20 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 3.7            |                  | 1           | ug/L         | 15           | 07/14/2016 5:58 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-107**  
**Client Sample ID. : ROOM 3133 / SINK 6 / HW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 3:22 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 1.8            |                  | 1           | ug/L         | 15           | 07/14/2016 6:01 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To :** Brad Preston

Federal ID :

Collected : 06/24/2016 3:27 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-108**

**Client Sample ID. : ROOM 3160 / DF-1 / R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 1.5            |                  | 1           | ug/L         | 15           | 07/14/2016 6:04 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To :** Brad Preston

Federal ID :

Collected : 06/24/2016 3:29 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-109**

**Client Sample ID. : ROOM 3160 / DF-2 / R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 1.1            |                  | 1           | ug/L         | 15           | 07/14/2016 6:07 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-110**  
**Client Sample ID. : ROOM 3143 / SINK / CW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 3:31 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 3.3            |                  | 1           | ug/L         | 15           | 07/14/2016 6:10 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**  
 Type : Potable Water  
 Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-111**  
**Client Sample ID. : ROOM 3143 / SINK / HW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 3:33 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 2.5            |                  | 1           | ug/L         | 15           | 07/14/2016 6:13 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.  
 B = Found in Blank  
 D.F. = Dilution Factor D = Results for Dilution  
 c = Calibration acceptability criteria exceeded for this analyte. Value estimated  
 H = Received/analyzed outside of analytical holding time  
 J = Estimated value - below calibration range  
 M-, M+ = Matrix Spike recovery below / above control limit  
 N = Indicates presumptive evidence of compound  
 P = Duplicate RPD outside of control limit  
 r = Reporting limit below calibration range. Value estimated.  
 S = Recovery outside of control limits for this analyte  
 + = NYSDOH ELAP does not offer certification for this analyte / matrix / method  
 Result(s) reported meet(s) Regulatory Limit(s).  
 Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.  
 Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-112**  
**Client Sample ID. : ROOM 3146 / SINK / CW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 3:34 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 4.9            |                  | 1           | ug/L         | 15           | 07/14/2016 6:22 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.





**Sample Information:**  
 Type : Potable Water  
 Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To :** Brad Preston

Federal ID :

Collected : 06/24/2016 3:35 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-113**

**Client Sample ID. : ROOM 3146 / SINK / HW-R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 2.6            |                  | 1           | ug/L         | 15           | 07/14/2016 6:30 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To :** Brad Preston

Federal ID :

Collected : 06/24/2016 3:37 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-114**

**Client Sample ID. : ROOM 3161 / DF-1 / R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 1.5            |                  | 1           | ug/L         | 15           | 07/14/2016 6:33 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To :** Brad Preston

Federal ID :

Collected : 06/24/2016 3:40 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-115**

**Client Sample ID. : ROOM 3161 / DF-2 / R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | < 1.0          |                  | 1           | ug/L         | 15           | 07/14/2016 6:36 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-116**  
**Client Sample ID. : ROOM 3151 / SINK / CW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 3:43 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 4.2            |                  | 1           | ug/L         | 15           | 07/14/2016 6:39 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To :** Brad Preston

Federal ID :

Collected : 06/24/2016 3:44 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-117**

**Client Sample ID. : ROOM 3151 / SINK / HW-R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 2.6            |                  | 1           | ug/L         | 15           | 07/14/2016 6:42 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To :** Brad Preston

Federal ID :

Collected : 06/24/2016 3:46 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-118**

**Client Sample ID. : ROOM 3149 / SINK / CW-R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 4.5            |                  | 1           | ug/L         | 15           | 07/14/2016 6:45 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**  
 Type : Potable Water  
 Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-119**  
**Client Sample ID. : ROOM 3149 / SINK / HW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :  
 Collected : 06/24/2016 3:47 AM Point No  
 Received : 06/30/2016 4:50 PM Location:  
 Collected By : CLIENT

---

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Analyst:</u> CM<br><u>Container:</u> |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|---|
| Lead                | 1.4            |                  | 1           | ug/L         | 15           | 07/14/2016 6:48 PM | Container-01 of 01                      |

Qualifiers: E = Value above quantitation range, Value estimated.  
 B = Found in Blank  
 D.F. = Dilution Factor D = Results for Dilution  
 c = Calibration acceptability criteria exceeded for this analyte. Value estimated  
 H = Received/analyzed outside of analytical holding time  
 J = Estimated value - below calibration range  
 M-, M+ = Matrix Spike recovery below / above control limit  
 N = Indicates presumptive evidence of compound  
 P = Duplicate RPD outside of control limit  
 r = Reporting limit below calibration range. Value estimated.  
 S = Recovery outside of control limits for this analyte  
 + = NYSDOH ELAP does not offer certification for this analyte / matrix / method  
 Result(s) reported meet(s) Regulatory Limit(s).  
 Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.  
 Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.  
 This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-120**  
**Client Sample ID. : T-1 / SINK / CW-R**

**Attn To :** Brad Preston

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 3:51 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 1.8            |                  | 1           | ug/L         | 15           | 07/14/2016 6:56 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.





**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-121**  
**Client Sample ID. : T-1 / SINK / HW-R**

**Attn To : Brad Preston**

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 3:51 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 1.8            |                  | 1           | ug/L         | 15           | 07/14/2016 7:05 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.  
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**  
**Clinton, NY 13323**

**Lab No. : 1606T82-122**  
**Client Sample ID. : T-2 / SINK / CW-R**

**Attn To : Brad Preston**

**Middle School - Raw**

Federal ID :

Collected : 06/24/2016 3:54 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 4.4            |                  | 1           | ug/L         | 15           | 07/14/2016 7:08 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



**Sample Information:**

Type : Potable Water  
Origin:

**LABORATORY RESULTS**

Results are only for the samples and analytes requested.

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the tests requested.

**Clinton Central School District**  
**75 Chenango Ave.**

**Clinton, NY 13323**

**Attn To :** Brad Preston

Federal ID :

Collected : 06/24/2016 3:55 AM Point No

Received : 06/30/2016 4:50 PM Location:

Collected By : CLIENT

**Lab No. : 1606T82-123**

**Client Sample ID. : T-2 / SINK / HW-R**

**Middle School - Raw**

Analytical Method: E200.8 : IOC

Analyst: CM

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u>   | <u>Container:</u>  |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|--------------------|
| Lead                | 2.1            |                  | 1           | ug/L         | 15           | 07/14/2016 7:11 PM | Container-01 of 01 |

Qualifiers: E = Value above quantitation range, Value estimated.

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

c = Calibration acceptability criteria exceeded for this analyte. Value estimated

H = Received/analyzed outside of analytical holding time

J = Estimated value - below calibration range

M-, M+ = Matrix Spike recovery below / above control limit

N = Indicates presumptive evidence of compound

P = Duplicate RPD outside of control limit

r = Reporting limit below calibration range. Value estimated.

S = Recovery outside of control limits for this analyte

+ = NYSDOH ELAP does not offer certification for this analyte / matrix / method

Result(s) reported meet(s) Regulatory Limit(s).

Result(s) flagged with \* Exceed Regulatory Limit(s). Limit noted.

Date Reported : 7/15/2016

Project Manager : Elizabeth Harrison

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



PACE ANALYTICAL  
 575 Broad Hollow Road  
 Melville, NY 11747  
 TEL: (631) 694-3040 FAX: (631) 420-8436  
 Website: [www.pacelabs.com](http://www.pacelabs.com)

# QC SUMMARY REPORT

WO#: **1606T82**  
**15-Jul-16**

**Client:** Clinton Central School District  
**Project:** Clinton Central School District

**BatchID: R101683**

|            |                 |                          |                             |                                 |                       |  |
|------------|-----------------|--------------------------|-----------------------------|---------------------------------|-----------------------|--|
| Sample ID  | <b>CalBlank</b> | SampType: <b>MBLK</b>    | TestCode: <b>200.8_DW_R</b> | Units: <b>ug/L</b>              | Prep Date:            | RunNo: <b>101683</b>                                   |
| Client ID: | <b>PBW</b>      | Batch ID: <b>R101683</b> | TestNo: <b>E200.8</b>       | Analysis Date: <b>7/13/2016</b> | SeqNo: <b>2240823</b> |  |
| Analyte    |                 | Result                   | PQL                         | SPK value                       | SPK Ref Val           | %REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual |
| Lead       |                 | < 1.0                    | 1.0                         |                                 |                       |  |

**Qualifiers:**

|   |  |   |   |    |                                      |
|---|--|---|---|----|--------------------------------------|
| * | Value exceeds Maximum Contaminant Level            | D | Dilution was required.                                    | E  | Value above quantitation range       |
| H | Holding times for preparation or analysis exceeded | M | Manual Integration used to determine area response        | ND | Not Detected at the Reporting Limit  |
| O | RSD is greater than RSDlimit                       | P | Second column confirmation exceeds                        | R  | RPD outside accepted recovery limits |
| S | Spike Recovery outside accepted recovery limits    | W | Sample container temperature is out of limit as specified |    |                                      |



PACE ANALYTICAL  
 575 Broad Hollow Road  
 Melville, NY 11747  
 TEL: (631) 694-3040 FAX: (631) 420-8436  
 Website: [www.pacelabs.com](http://www.pacelabs.com)

# QC SUMMARY REPORT

WO#: **1606T82**  
**15-Jul-16**

**Client:** Clinton Central School District  
**Project:** Clinton Central School District

**BatchID: R101745**

|            |                 |           |                |           |                   |           |             |                |                  |           |                |      |          |      |
|------------|-----------------|-----------|----------------|-----------|-------------------|-----------|-------------|----------------|------------------|-----------|----------------|------|----------|------|
| Sample ID  | <b>CalBlank</b> | SampType: | <b>MBLK</b>    | TestCode: | <b>200.8_DW_R</b> | Units:    | <b>ug/L</b> | Prep Date:     |                  | RunNo:    | <b>101745</b>  |      |          |      |
| Client ID: | <b>PBW</b>      | Batch ID: | <b>R101745</b> | TestNo:   | <b>E200.8</b>     |           |             | Analysis Date: | <b>7/14/2016</b> | SeqNo:    | <b>2242644</b> |      |          |      |
| Analyte    |                 | Result    |                | PQL       |                   | SPK value | SPK Ref Val | %REC           | LowLimit         | HighLimit | RPD Ref Val    | %RPD | RPDLimit | Qual |
| Lead       |                 | < 1.0     |                | 1.0       |                   |           |             |                |                  |           |                |      |          |      |

- Qualifiers:**
- \* Value exceeds Maximum Contaminant Level
  - H Holding times for preparation or analysis exceeded
  - O RSD is greater than RSDlimit
  - S Spike Recovery outside accepted recovery limits
  - D Dilution was required.
  - M Manual Integration used to determine area response
  - P Second column confirmation exceeds
  - W Sample container temperature is out of limit as specified
  - E Value above quantitation range
  - ND Not Detected at the Reporting Limit
  - R RPD outside accepted recovery limits



PACE ANALYTICAL  
 575 Broad Hollow Road  
 Melville, NY 11747  
 TEL: (631) 694-3040 FAX: (631) 420-8436  
 Website: [www.pacelabs.com](http://www.pacelabs.com)

# QC SUMMARY REPORT

WO#: **1606T82**  
 15-Jul-16

**Client:** Clinton Central School District  
**Project:** Clinton Central School District

**BatchID:** R101784

|            |                 |                          |                             |                                 |                       |  |
|------------|-----------------|--------------------------|-----------------------------|---------------------------------|-----------------------|--|
| Sample ID  | <b>CalBlank</b> | SampType: <b>MBLK</b>    | TestCode: <b>200.8_DW_R</b> | Units: <b>ug/L</b>              | Prep Date:            | RunNo: <b>101784</b>                                   |
| Client ID: | <b>PBW</b>      | Batch ID: <b>R101784</b> | TestNo: <b>E200.8</b>       | Analysis Date: <b>7/14/2016</b> | SeqNo: <b>2243127</b> |  |
| Analyte    |                 | Result                   | PQL                         | SPK value                       | SPK Ref Val           | %REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual |
| Lead       |                 | < 1.0                    | 1.0                         |                                 |                       |  |

**Qualifiers:**

|  |   |  |
|--|---|--|
| * Value exceeds Maximum Contaminant Level            | D Dilution was required.                                    | E Value above quantitation range       |
| H Holding times for preparation or analysis exceeded | M Manual Integration used to determine area response        | ND Not Detected at the Reporting Limit |
| O RSD is greater than RSDlimit                       | P Second column confirmation exceeds                        | R RPD outside accepted recovery limits |
| S Spike Recovery outside accepted recovery limits    | W Sample container temperature is out of limit as specified |  |



PACE ANALYTICAL  
 575 Broad Hollow Road  
 Melville, NY 11747  
 TEL: (631) 694-3040 FAX: (631) 420-8436  
 Website: www.pacelabs.com

# Sample Receipt Checklist

Client Name **CLINTON**

Date and Time Received: **6/30/2016 4:50:00 PM**

Work Order Number: **1606T82**

RcptNo: **1**

Received by **Erick Johnson**

Completed by: *George A. Cappadona*

Reviewed by:

Completed Date: 7/1/2016 3:41:01 PM

Reviewed Date:

Carrier name: FedEx

|   |   |  |   |  |
|---|---|--|---|--|
| Chain of custody present?                               | Yes <input checked="" type="checkbox"/>     | No <input type="checkbox"/>            |   |  |
| Chain of custody signed when relinquished and received? | Yes <input checked="" type="checkbox"/>     | No <input type="checkbox"/>            |   |  |
| Chain of custody agrees with sample labels?             | Yes <input checked="" type="checkbox"/>     | No <input type="checkbox"/>            |   |  |
| Are matrices correctly identified on Chain of custody?  | Yes <input checked="" type="checkbox"/>     | No <input type="checkbox"/>            |   |  |
| Is it clear what analyses were requested?               | Yes <input checked="" type="checkbox"/>     | No <input type="checkbox"/>            |   |  |
| Custody seals intact on sample bottles?                 | Yes <input type="checkbox"/>                | No <input type="checkbox"/>            | Not Present <input checked="" type="checkbox"/> |  |
| Samples in proper container/bottle?                     | Yes <input checked="" type="checkbox"/>     | No <input type="checkbox"/>            |   |  |
| Were correct preservatives used and noted?              | Yes <input checked="" type="checkbox"/>     | No <input type="checkbox"/>            | NA <input type="checkbox"/>                     |  |
| Preservative added to bottles:                          |   |  |   |  |
| Sample Condition?                                       | Intact <input checked="" type="checkbox"/>  | Broken <input type="checkbox"/>        | Leaking <input type="checkbox"/>                |  |
| Sufficient sample volume for indicated test?            | Yes <input checked="" type="checkbox"/>     | No <input type="checkbox"/>            |   |  |
| Were container labels complete (ID, Pres, Date)?        | Yes <input checked="" type="checkbox"/>     | No <input type="checkbox"/>            |   |  |
| All samples received within holding time?               | Yes <input checked="" type="checkbox"/>     | No <input type="checkbox"/>            |   |  |
| Was an attempt made to cool the samples?                | Yes <input type="checkbox"/>                | No <input type="checkbox"/>            | NA <input checked="" type="checkbox"/>          |  |
| All samples received at a temp. of > 0° C to 6.0° C?    | Yes <input type="checkbox"/>                | No <input type="checkbox"/>            | NA <input checked="" type="checkbox"/>          |  |
| Response when temperature is outside of range:          |   |  |   |  |
| Sample Temp. taken and recorded upon receipt?           | Yes <input type="checkbox"/>                | No <input checked="" type="checkbox"/> | To °  |  |
| Water - Were bubbles absent in VOC vials?               | Yes <input type="checkbox"/>                | No <input type="checkbox"/>            | No Vials <input checked="" type="checkbox"/>    |  |
| Water - Was there Chlorine Present?                     | Yes <input type="checkbox"/>                | No <input type="checkbox"/>            | NA <input checked="" type="checkbox"/>          |  |
| Water - pH acceptable upon receipt?                     | Yes <input checked="" type="checkbox"/>     | No <input type="checkbox"/>            | No Water <input type="checkbox"/>               |  |
| Are Samples considered acceptable?                      | Yes <input checked="" type="checkbox"/>     | No <input type="checkbox"/>            |   |  |
| Custody Seals present?                                  | Yes <input type="checkbox"/>                | No <input checked="" type="checkbox"/> |   |  |
| Airbill or Sticker?                                     | Air Bil <input checked="" type="checkbox"/> | Sticker <input type="checkbox"/>       | Not Present <input type="checkbox"/>            |  |
| Airbill No:   | 7766-5305-2273                              |  |   |  |

Case Number:

SDG:

SAS:

Any No response should be detailed in the comments section below, if applicable.

Client Contacted?  Yes  No  NA      Person Contacted:

Contact Mode:  Phone:  Fax:  Email:  In Person:

Client Instructions:

Date Contacted: \_\_\_\_\_ Contacted By: \_\_\_\_\_

Regarding:

Comments:

CorrectiveAction:

WorkOrder :  
1606T82

## Certifications

---

| STATE             | CERTIFICATION # |
|-------------------|-----------------|
| NEW YORK          | 10478           |
| NEW JERSEY        | NY158           |
| CONNECTICUT       | PH-0435         |
| MARYLAND          | 208             |
| MAS S ACHUS E TTS | M-NY026         |
| NE W HAMP S HIRE  | 2987            |
| RHODE IS LAND     | LAO00340        |
| PE NNS YLVANIA    | 68-00350        |